


PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160025	
dn [mm]	25	
dn1 [mm]		
SDR	11	
PN	16	
MATERIAL	PE100	
TRADEMARK	EURO	

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	20	

dn	[mm]	25 48
h	[mm]	48
h1	[mm]	9
Z	[mm]	75
d1	[mm]	33 58
С	[mm]	58

WEIGHT [g] 40

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d25 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS


DIMENSIONS AND WEIGHT






ITEM	2030160032
dn [mm]	32
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUEACTUDING TYPE	IN JECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	12	





Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d32 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160040	
dn [mm]	40	
dn1 [mm]		
SDR	11	
PN	16	
MATERIAL	PE100	
TRADEMARK	EURO	

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	20

dn	[mm]	40
h	[mm]	40 62
h1	[mm]	11
Z	[mm]	87
d1	[mm]	50 78
С	[mm]	78

WEIGHT [g] 80

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d40 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT






ITEM	2030160050	
dn [mm]	50	
dn1 [mm]		
SDR	11	
PN	16	
MATERIAL	PE100	
TRADEMARK	EURO	

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	15	
QUANTITIFER DUX	10	

dn	[mm]	50
h	[mm]	61
h1	[mm]	12
Z	[mm]	95
d1 C	[mm]	61
С	[mm]	88



Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d50 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



63 86

ITEM	2030160063	
dn [mm]	63	
dn1 [mm]		
SDR	11	
PN	16	
MATERIAL	PE100	
TRADEMARK	EURO	

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	8

h1	[mm]	14
Z	[mm]	120
d1	[mm]	75
С	[mm]	102

[mm]

[mm]

WEIGHT	[g]	180

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



dn

h

PE100 d63 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT






ITEM	2030160075
dn [mm]	75
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	13
QO/MITTI I LICEO/C	10

dn	[mm]	75
h	[mm]	75 94
h1	[mm]	16
Z d1	[mm]	130
d1	[mm]	89 122
С	[mm]	122



Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d75 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.



PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



	d1 — dn —	-
Z _ h		¥ = +

ITEM	2030160090
dn [mm]	90
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUEACTURING TYPE	IN IDCTION MOUILDED

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	9

dn	[mm]	90
h	[mm]	90
h1	[mm]	17
Z	[mm]	140
Z d1	[mm]	105
С	[mm]	138

WEIGHT	[g]	405

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d90 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160110
dn [mm]	110
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUEACTURING TYPE	INTECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	6

dn	[mm]	110
h	[mm]	112
h1	[mm]	18
Z	[mm]	153
d1	[mm]	125
С	[mm]	158

WEIGHT [g] 610

Tolerance: +/- 5% excluding dn

MARKING AND LABEL on fitting

EURO

PE100 d110 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

NOTE:

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160125
dn [mm]	125
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	1	

dn	[mm]	125
h	[mm]	122
h1	[mm]	25
Z	[mm]	167
d1	[mm]	132
С	[mm]	158

WEIGHT [g] 820

Tolerance: +/- 5% excluding dn

MARKING AND LABEL on fitting

EURO

PE100 d125 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

NOTE:

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160140	
dn [mm]	140	
dn1 [mm]		
SDR	11	
PN	16	Ī
MATERIAL	PE100	Ī
TRADEMARK	EURO	Ī
		Ī
MANUFACTURING TYPE	INJECTION MOULDED	Ī
USE	WATER-GAS	Π

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	1	

dn	[mm]	140
h	[mm]	108
h1	[mm]	25
Z	[mm]	156
d1	[mm]	155
С	[mm]	187

Tolerance: +/- 5% excluding dn

WEIGHT 1140 [g]

NOTE:

MARKING AND LABEL on fitting



PE100 d140 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW **FM APPROVALS**

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160160
dn [mm]	160
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
LICE	WATER CAC

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

dn	[mm]	160
h	[mm]	106
h1	[mm]	30
Z	[mm]	159
d1	[mm]	175
С	[mm]	212

WEIGHT	[g]	1520

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d160 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT






100

ITEM	2030160180	
dn [mm]	180	
dn1 [mm]		
SDR	11	
PN	16	
MATERIAL	PE100	
TRADEMARK	EURO	
MANUFACTURING TYPE	INJECTION MOULDED	
LISE	WATER-GAS	

MANUFACTURING TYPE	INJECTION MOULDED
ПСЕ	WATER CAC
USE	WATER-GAS
QUANTITY PER BOX	4
QUANTITY PER BUX	I

an	[mm]	180
h	[mm]	145
h1	[mm]	30
Z d1	[mm]	196
d1	[mm]	183
С	[mm]	212



NOTE:

MARKING AND LABEL on fitting



PE100 d180 PN16/SDR11

Tolerance: +/- 5% excluding dn

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS


DIMENSIONS AND WEIGHT





IIEM	2030160200
dn [mm]	200
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS

dn	[mm]	200	
h	[mm]	112	
h1	[mm]	32	
Z d1	[mm]	182	
	[mm]	232	
С	[mm]	268	
			١
Tolerance:	+/- 5% exclud	dina dn	



NOTE:

QUANTITY PER BOX

ITENA

MARKING AND LABEL on fitting



PE100 d200 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW **FM APPROVALS**

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160225
dn [mm]	225
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS

MANUFACTURING TYPE	INJECTION MOULDED
ПСЕ	WATER CAC
USE	WATER-GAS
QUANTITY PER BOX	4
QUANTITY PER BUX	I

dn	[mm]	225
h	[mm]	152
h1	[mm]	32
Z	[mm]	219
d1	[mm]	235
С	[mm]	268

WEIGHT	[g]	3140

Tolerance: +/- 5% excluding dn

NOTE:

MARKING AND LABEL on fitting



PE100 d225 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW **FM APPROVALS**

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





IIEM	2030160250
dn [mm]	250
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS

MANUFACTURING TYPE	INJECTION MOULDED
USF	WATER-GAS
	WALLET GALE
QUANTITY PER BOX	1

dn	[mm]	250
h	[mm]	133
h1	[mm]	35
Z	[mm]	205
d1	[mm]	285
С	[mm]	320
Tolerance: +/- 5% excluding dn		

WEIGHT	[g]	4695

NOTE:

ITENA

MARKING AND LABEL on fitting



PE100 d250 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW FM APPROVALS

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





280

165

2030160280
280
11
16
PE100
EURO
INJECTION MOULDED
WATER-GAS

1

h1	[mm]	35
Z	[mm]	230
d1	[mm]	291
С	[mm]	320
T-1	/ 50/	

[mm]

[mm]

WEIGHT	[g]	5170

QUANTITY PER BOX

NOTE:

ITEM

Tolerance: +/- 5% excluding dn

MARKING AND LABEL on fitting



dn

h

PE100 d280 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





ITEM	2030160315
dn [mm]	315
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

an	[mm]	315
h	[mm]	205
h1	[mm]	35
Z	[mm]	275
Z d1	[mm]	335 370
С	[mm]	370

Tolerance: +/- 5% excluding dn

WEIGHT	[g]	9200

NOTE:

stub end complete with NBR gasket

MARKING AND LABEL on fitting



PE100 d315 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT






ITEM	2030160355
dn [mm]	355
dn1 [mm]	
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUEACTUDING TYPE	IN JECTION MOULDED

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	1	

dn	[mm]	355
h	[mm]	200
h1	[mm]	40
Z	[mm]	280
d1	[mm]	373 430
С	[mm]	430



Tolerance: +/- 5% excluding dn

NOTE:

stub end complete with NBR gasket

MARKING AND LABEL on fitting



PE100 d355 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.




PN16

SDR11

PRODUCT DETAILS

DIMENSIONS AND WEIGHT





2030160400	
400	
11	
16	
PE100	
EURO	
	400 11 16 PE100

MANUFACTURING TYPE	INJECTION MOULDED	
USE	WATER-GAS	
QUANTITY PER BOX	1	

an	[mm]	400
h	[mm]	230
h1	[mm]	48
Z d1	[mm]	310
d1	[mm]	427 482
С	[mm]	482

WEIGHT	[9]	15150

Tolerance: +/- 5% excluding dn

NOTE:

stub end complete with NBR gasket

MARKING AND LABEL on fitting



PE100 d400 PN16/SDR11

STANDARDS AND APPROVALS

EN 12201 EN 1555 ISO 15494 DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams. EUROSTANDARD reserves the right to change geometries and dimensions of any product.