TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162025**
dn [mm]	25
dn1 [mm]	20
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	40

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	25
dn1	[mm]	20
h	[mm]	49
h1	[mm]	50
Z	[mm]	113

WEIGHT	[g]	20

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d25x20 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050163220**
dn [mm]	32
dn1 [mm]	20
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	30

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	32
dn1	[mm]	20
h	[mm]	55
h1	[mm]	52
Z	[mm]	124

WEIGHT	[g]	30

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d32x20 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050163225**
dn [mm]	32
dn1 [mm]	25
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	30

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	32
dn1	[mm]	25
h	[mm]	61
h1	[mm]	59
Z	[mm]	130

WEIGHT	[g]	30

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d32x25 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050164020**
dn [mm]	40
dn1 [mm]	20
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	20

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	40
dn1	[mm]	20
h	[mm]	59
h1	[mm]	52
Z	[mm]	130

WEIGHT	[g]	40

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d40x20 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050164025**
dn [mm]	40
dn1 [mm]	25
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	20

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	40
dn1	[mm]	25
h	[mm]	59
h1	[mm]	54
Z	[mm]	128

WEIGHT	[g]	40

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d40x25 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050164032**
dn [mm]	40
dn1 [mm]	32
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	20

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	40
dn1	[mm]	32
h	[mm]	61
h1	[mm]	48
Z	[mm]	125

WEIGHT	[g]	45

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d40x32 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



ITEM	**2050165025**
dn [mm]	50
dn1 [mm]	25
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	12

NOTE:

dn	[mm]	50
dn1	[mm]	25
h	[mm]	60
h1	[mm]	50
Z	[mm]	135

WEIGHT	[g]	60

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d50x25 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050165032**
dn [mm]	50
dn1 [mm]	32
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	12

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	50
dn1	[mm]	32
h	[mm]	60
h1	[mm]	47
Z	[mm]	134

WEIGHT	[g]	65

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d50x32 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050165040**
dn [mm]	50
dn1 [mm]	40
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	12

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	50
dn1	[mm]	40
h	[mm]	60
h1	[mm]	62
Z	[mm]	134

WEIGHT	[g]	75

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d50x40 PN16 SDR11

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050166325**
dn [mm]	63
dn1 [mm]	25
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	8

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	63
dn1	[mm]	25
h	[mm]	64
h1	[mm]	57
Z	[mm]	140

WEIGHT	[g]	90

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d63x25 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050166332**
dn [mm]	63
dn1 [mm]	32
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	8

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	63
dn1	[mm]	32
h	[mm]	65
h1	[mm]	58
Z	[mm]	142

WEIGHT	[g]	100

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d63x32 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050166340**
dn [mm]	63
dn1 [mm]	40
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	8

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	63
dn1	[mm]	40
h	[mm]	68
h1	[mm]	52
Z	[mm]	139

WEIGHT	[g]	105

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d63x40 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050166350**
dn [mm]	63
dn1 [mm]	50
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	8

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	63
dn1	[mm]	50
h	[mm]	63
h1	[mm]	57
Z	[mm]	132

WEIGHT	[g]	120

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d63x50 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050167540**
dn [mm]	75
dn1 [mm]	40
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	75
dn1	[mm]	40
h	[mm]	72
h1	[mm]	60
Z	[mm]	147

WEIGHT	[g]	165

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d75x40 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050167550**
dn [mm]	75
dn1 [mm]	50
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	75
dn1	[mm]	50
h	[mm]	72
h1	[mm]	59
Z	[mm]	153
WEIGHT	[g]	165

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d75x50 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050167563**
dn [mm]	75
dn1 [mm]	63
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	75
dn1	[mm]	63
h	[mm]	73
h1	[mm]	67
Z	[mm]	154

WEIGHT	[g]	200

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d75x63 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050169050**
dn [mm]	90
dn1 [mm]	50
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	90
dn1	[mm]	50
h	[mm]	82
h1	[mm]	61
Z	[mm]	162

WEIGHT	[g]	260

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d90x50 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050169063**
dn [mm]	90
dn1 [mm]	63
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	90
dn1	[mm]	63
h	[mm]	80
h1	[mm]	68
Z	[mm]	169

WEIGHT	[g]	280

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d90x63 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050169075**
dn [mm]	90
dn1 [mm]	75
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	4

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	90
dn1	[mm]	75
h	[mm]	83
h1	[mm]	71
Z	[mm]	164

WEIGHT	[g]	305

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d90x75 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



ITEM	**2050161150**
dn [mm]	110
dn1 [mm]	50
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	7

dn	[mm]	110
dn1	[mm]	50
h	[mm]	88
h1	[mm]	57
Z	[mm]	177

WEIGHT	[g]	400

Tolerance: +/- 5% excluding dn dn1

NOTE:

MARKING AND LABEL on fitting

PE100 d110x50 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar
- Buttfusion unadvised

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161163**
dn [mm]	110
dn1 [mm]	63
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	7

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	110
dn1	[mm]	63
h	[mm]	87
h1	[mm]	69
Z	[mm]	188

WEIGHT	[g]	410

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d110x63 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161175**
dn [mm]	110
dn1 [mm]	75
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	7

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	110
dn1	[mm]	75
h	[mm]	85
h1	[mm]	72
Z	[mm]	173

WEIGHT	[g]	425

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d110x75 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161190**
dn [mm]	110
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	7

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	110
dn1	[mm]	90
h	[mm]	86
h1	[mm]	81
Z	[mm]	181

WEIGHT	[g]	485

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d110x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161263**
dn [mm]	125
dn1 [mm]	63
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	125
dn1	[mm]	63
h	[mm]	96
h1	[mm]	68
Z	[mm]	199

WEIGHT	[g]	600

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d125x63 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161275**
dn [mm]	125
dn1 [mm]	75
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	125
dn1	[mm]	75
h	[mm]	95
h1	[mm]	78
Z	[mm]	191

WEIGHT	[g]	610

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d125x75 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161290**
dn [mm]	125
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	125
dn1	[mm]	90
h	[mm]	96
h1	[mm]	81
Z	[mm]	191

WEIGHT	[g]	625

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d125x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161211**
dn [mm]	125
dn1 [mm]	110
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	125
dn1	[mm]	110
h	[mm]	96
h1	[mm]	84
Z	[mm]	192

WEIGHT	[g]	720

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d125x110 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161490**
dn [mm]	140
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	140
dn1	[mm]	90
h	[mm]	95
h1	[mm]	80
Z	[mm]	205

WEIGHT	[g]	815

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d140x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161411**
dn [mm]	140
dn1 [mm]	110
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	140
dn1	[mm]	110
h	[mm]	94
h1	[mm]	83
Z	[mm]	193

WEIGHT	[g]	870

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d140x110 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161412**
dn [mm]	140
dn1 [mm]	125
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	140
dn1	[mm]	125
h	[mm]	95
h1	[mm]	89
Z	[mm]	198

WEIGHT	[g]	990

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d140x125 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161690**
dn [mm]	160
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	160
dn1	[mm]	90
h	[mm]	101
h1	[mm]	82
Z	[mm]	221

WEIGHT	[g]	1040

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d160x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161611**
dn [mm]	160
dn1 [mm]	110
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	160
dn1	[mm]	110
h	[mm]	101
h1	[mm]	86
Z	[mm]	218

WEIGHT	[g]	1160

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d160x110 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161612**
dn [mm]	160
dn1 [mm]	125
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	160
dn1	[mm]	125
h	[mm]	101
h1	[mm]	91
Z	[mm]	208

WEIGHT	[g]	1155

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d160x125 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161614**
dn [mm]	160
dn1 [mm]	140
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	160
dn1	[mm]	140
h	[mm]	101
h1	[mm]	92
Z	[mm]	206

WEIGHT	[g]	1235

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d160x140 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161890**
dn [mm]	180
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	180
dn1	[mm]	90
h	[mm]	110
h1	[mm]	90
Z	[mm]	262

WEIGHT	[g]	1430

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d180x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161812**
dn [mm]	180
dn1 [mm]	125
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	180
dn1	[mm]	125
h	[mm]	107
h1	[mm]	88
Z	[mm]	220

WEIGHT	[g]	1515

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d180x125 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161814**
dn [mm]	180
dn1 [mm]	140
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	180
dn1	[mm]	140
h	[mm]	105
h1	[mm]	96
Z	[mm]	221

WEIGHT	[g]	1610

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100d180x140 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050161816**
dn [mm]	180
dn1 [mm]	160
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	180
dn1	[mm]	160
h	[mm]	107
h1	[mm]	101
Z	[mm]	224

WEIGHT	[g]	1725

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d180x160 SR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162011**
dn [mm]	200
dn1 [mm]	110
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	200
dn1	[mm]	110
h	[mm]	130
h1	[mm]	100
Z	[mm]	275

WEIGHT	[g]	1900

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d200x110 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162014**
dn [mm]	200
dn1 [mm]	140
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	200
dn1	[mm]	140
h	[mm]	115
h1	[mm]	95
Z	[mm]	231

WEIGHT	[g]	1940

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d200x140 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162016**
dn [mm]	200
dn1 [mm]	160
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	200
dn1	[mm]	160
h	[mm]	116
h1	[mm]	101
Z	[mm]	252

WEIGHT	[g]	2155

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d200x160 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162018**
dn [mm]	200
dn1 [mm]	180
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	200
dn1	[mm]	180
h	[mm]	117
h1	[mm]	109
Z	[mm]	236

WEIGHT	[g]	2300

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d200x180 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162290**
dn [mm]	225
dn1 [mm]	90
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	225
dn1	[mm]	90
h	[mm]	130
h1	[mm]	99
Z	[mm]	311

WEIGHT	[g]	2790

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d225x90 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162212**
dn [mm]	225
dn1 [mm]	125
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	225
dn1	[mm]	125
h	[mm]	130
h1	[mm]	89
Z	[mm]	300

WEIGHT	[g]	3500

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d225x125 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162216**
dn [mm]	225
dn1 [mm]	160
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	225
dn1	[mm]	160
h	[mm]	133
h1	[mm]	117
Z	[mm]	291

WEIGHT	[g]	3085

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d225x160 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162218**
dn [mm]	225
dn1 [mm]	180
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	225
dn1	[mm]	180
h	[mm]	132
h1	[mm]	125
Z	[mm]	285

WEIGHT	[g]	3010

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d225x180 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162220**
dn [mm]	225
dn1 [mm]	200
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	225
dn1	[mm]	200
h	[mm]	132
h1	[mm]	130
Z	[mm]	277

WEIGHT	[g]	3465

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d225x200 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162516**
dn [mm]	250
dn1 [mm]	160
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	250
dn1	[mm]	160
h	[mm]	140
h1	[mm]	120
Z	[mm]	320

WEIGHT	[g]	4110

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d250x160 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162518**
dn [mm]	250
dn1 [mm]	180
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	250
dn1	[mm]	180
h	[mm]	138
h1	[mm]	124
Z	[mm]	304

WEIGHT	[g]	3950

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d250x180 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050162520**
dn [mm]	250
dn1 [mm]	200
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	250
dn1	[mm]	200
h	[mm]	140
h1	[mm]	130
Z	[mm]	301

WEIGHT	[g]	4420

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d250x200 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



ITEM	**2050162522**
dn [mm]	250
dn1 [mm]	225
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

dn	[mm]	250
dn1	[mm]	225
h	[mm]	137
h1	[mm]	134
Z	[mm]	296

WEIGHT	[g]	4630

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d250x225 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050163116**
dn [mm]	315
dn1 [mm]	160
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	315
dn1	[mm]	160
h	[mm]	98
h1	[mm]	110
Z	[mm]	351

WEIGHT	[g]	5650

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d315x160 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar on d.160
- Moulded in PE 100 with short collar on d.315

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

ITEM	**2050163120**
dn [mm]	315
dn1 [mm]	200
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

NOTE:

DIMENSIONS AND WEIGHT



dn	[mm]	315
dn1	[mm]	200
h	[mm]	171
h1	[mm]	128
Z	[mm]	386

WEIGHT	[g]	7330

Tolerance: +/- 5% excluding dn dn1

MARKING AND LABEL on fitting

PE100 d315x200 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



ITEM	**2050163122**
dn [mm]	315
dn1 [mm]	225
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

dn	[mm]	315
dn1	[mm]	225
h	[mm]	173
h1	[mm]	138
Z	[mm]	389

WEIGHT	[g]	8030

Tolerance: +/- 5% excluding dn dn1

NOTE:

MARKING AND LABEL on fitting

PE100 d315x225 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.

TECHNICAL DATASHEET

reducer

PN16 **SDR11**

PRODUCT DETAILS

DIMENSIONS AND WEIGHT



ITEM	**2050163125**
dn [mm]	315
dn1 [mm]	250
SDR	11
PN	16
MATERIAL	PE100
TRADEMARK	EURO
MANUFACTURING TYPE	INJECTION MOULDED
USE	WATER-GAS
QUANTITY PER BOX	1

dn	[mm]	315
dn1	[mm]	250
h	[mm]	173
h1	[mm]	150
Z	[mm]	381

WEIGHT	[g]	8250

Tolerance: +/- 5% excluding dn dn1

NOTE:

MARKING AND LABEL on fitting

PE100 d315x250 SDR11 PN16

STANDARDS AND APPROVALS

EN 12201
EN 1555
ISO 15494
DVGW

INFOS

- Moulded in PE 100 with long collar

All dimensions are in millimeters and are intended as nominal and standard sizes: weights are in grams.
EUROSTANDARD reserves the right to change geometries and dimensions of any product.